

## **FINAL WASH**

- 1. Fill the hand-held spray bottle with Final Wash.
- 2. Apply liberally to the automotive surface to be pre-cleaned.
- 3. Wipe dry while the surface is still wet.
- 4. Always wipe dry in the same direction, changing cloths as one cloth will merely shift rather than remove grease.

**CAUTION**: THIS PRODUCT IS NOT RECOMMENDED TO BE USED ON PLASTIC OR FIBREGLASS, OVER FRESHLY PAINTED SURFACES OR OVER FRESH PRIMERS-SEALERS. SOAKED WIPERS SHOULD NOT BE ALLOWED TO REMAIN ON THE FINISHED SURFACES. DISPOSE OF CLOTH SAFELY TO AVOID RISK OF SPONTANEOUS COMBUSTION FIRE.

## **LAVAGE FINAL**

- 1. Remplir le flacon pulvérisateur manuel avec Final Wash Solvent Cleaner (Nettoyant au solvant pour lavage final).
- 2. Appliquer généreusement sur la surface automobile à pré-nettoyer.
- 3. Essuyer pour sécher la surface encore humide pendant que la surface est encore mouillee.
- 4. Toujours essuyer au sec dans la même direction, en changeant de chiffon, car un seul chiffon ne fera qu'etaler la graisse et ne l'enlevera pas.

ATTENTION: IL N'EST PAS RECOMMANDÉ D'UTILISER CE PRODUIT SUR LE PLASTIQUE, LA FIBRE DE VERRE OU LES APPRÊTS FRAÎCHEMENT APPLIQUÉS. NE PAS LAISSER LES CHIFFONS EN CONTACT PROLONGÉ SUR LES SURFACES PEINTES. - JETER LES CHIFFONS IMBIBÉS DE FAÇON SÉCURITAIRE AFIN D'EVITER TOUT RISQUE D'INCENDIE